

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : FLUXOFIL 42
Product code : T-00245

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Gas shielding electric arc welding flux cored wire

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

TALARC PTY LTD
10-16 Syme Street, Brunswick, VIC 3056
Australia
T +61 3 9388 0588
www.talarc.com

1.4. Emergency telephone number

Emergency number : +61 3 9388 0588

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1 H317
Carc. 2 H351
STOT RE 2 H373

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Warning

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (CLP) :

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Extra phrases :

However the form in which product is placed on the market does not present a danger, such preparations do not require a label

2.3. Other hazards

Heat : Spatter and melting metal can cause burn injuries
Radiation : UV, IR radiations Arc ray can severely damage eyes or skin
Fumes : Formation of dangerous fumes during use Inhalation of welding fumes may cause respiratory irritation Cough Excessive or prolonged inhalation of fumes may cause metal fume fever
Gases : Hazardous decomposition products may be released during prolonged heating like smokes,

FLUXOFIL 42

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	carbon monoxide and dioxide, nitrogen oxides (NOx)
Electricity	: Electric shocks can kill
Magnetic fields	: Persons with a pacemaker should not go near welding or cutting operations until they have consulted their doctor and obtained information from the manufacturer of the device

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
nickel powder, [particle diameter < 1 mm]	(CAS No) 7440-02-0 (EC no) 231-111-4 (EC index no) 028-002-01-4 (REACH-no) 01-2119438727-29	1 - 3	Carc.Cat.3; R40 T; R48/23 R43 R52/53
Calcium oxide substance with a Community workplace exposure limit	(CAS No) 1305-78-8 (EC no) 215-138-9 (REACH-no) 01-2119475325-36	0,1 - 1	Xi; R41 Xi; R37/38

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nickel powder, [particle diameter < 1 mm]	(CAS No) 7440-02-0 (EC no) 231-111-4 (EC index no) 028-002-01-4 (REACH-no) 01-2119438727-29	1 - 3	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Chronic 3, H412
Calcium oxide substance with a Community workplace exposure limit	(CAS No) 1305-78-8 (EC no) 215-138-9 (REACH-no) 01-2119475325-36	0,1 - 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing becomes difficult (due to inhalation of fume), take the patient to fresh air and get them to breathe deeply. Seek medical attention if symptoms persist.
First-aid measures after skin contact	: In case of burn with hot metal, flush with plenty of water. Take off immediately all contaminated clothing. Seek medical attention if burns develop.
First-aid measures after eye contact	: In case of burn with hot metal, flush with plenty of water. Seek medical attention immediately.
First-aid measures after ingestion	: Ingestion unlikely. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : See Heading 2.3.

4.3. Indication of any immediate medical attention and special treatment needed

Not applicable.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Powder.
Unsuitable extinguishing media	: Water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not classified as flammable by EC criteria.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Not specifically applicable.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Not specifically applicable.

FLUXOFIL 42

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

Other information : Contain and collect as any solid.

6.4. Reference to other sections

See Heading 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Local exhaust and general ventilation must be adequate to meet exposure standards.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry protected location to prevent any moisture contact.

7.3. Specific end use(s)

Not applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium oxide (1305-78-8)		
EU	IOELV TWA (mg/m ³)	2 mg/m ³
nickel powder, [particle diameter < 1 mm] (7440-02-0)		
France	VME (mg/m ³)	1 mg/m ³
Czech Republic	Expoziční limity (PEL) (mg/m ³)	0,5 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	1 mg/m ³
Czech Republic	Remark (CZ)	S
Poland	NDS (mg/m ³)	0,25 mg/m ³
Romania	OEL TWA (mg/m ³)	0,10 mg/m ³
Romania	OEL STEL (mg/m ³)	0,50 mg/m ³
Portugal	OEL TWA (mg/m ³)	1,5 mg/m ³

8.2. Exposure controls

Hand protection : Welding gloves.
Eye protection : Use a protection mask equipped with suitable filter glasses.
Skin and body protection : Skin protection appropriate to the conditions of use should be provided.
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Grey.
Odour : odourless.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : ca 1500 °C
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 6 - 8
Solubility : Insoluble.
Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available

FLUXOFIL 42

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

None under normal conditions.

10.5. Incompatible materials

Contact with chemical substances like acids or bases could cause generation of gas.

10.6. Hazardous decomposition products

Hazardous decomposition products	: Formation of dangerous fumes during use Welding fumes are classified carcinogen by the IARC (International Agency for Research on Cancer) : Group 2B - Cancer suspected agent
Fume Data Sheet	: These hazardous products could include those from the reaction or oxidation of the components listed in section 3 or included in base material Reasonably expected gaseous products would include carbon oxides, nitrogen oxides and ozone
Fumes Emission Rate	: The amount of fumes generated change with the welding parameters and the diameters of the consumable Refer to applicable national exposure limits for fume compounds and national exposure limits for fumes
Other information	: In case of work on parts covered by coatings such as : Lubricant, Solvent, Paint, Metallic compounds, Grease, etc.. The thermal or photochemical decomposition products of these elements cumulate with the dusts and fumes emitted by the melting of the welding product The solution to adopt must be, in any case, preceded by a spot study Refer to the document "Health and Safety in Welding "published by the International Institute of Welding (IIS/IIW)"

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

FLUXOFIL 42

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.
Additional information : 12 01 13 Welding wastes (Q8). 16 01 17 Ferrous metal (Q1). 16 01 18 Non-ferrous metal (Q1).

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Directive RoHS 2011/65 - Can be used in the fabrication of electric and electronic devices.

15.1.2. National regulations

Water hazard class (WGK) : 1 - low hazard to waters

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2

FLUXOFIL 42

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

SDS EU (REACH Annex II) - ALW - FUMES

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product